

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

MAY 2 1986

Suffolk County Air National Guard Base  
Comments on Draft Phase II/IV-A Report

Joyce Feldman, Environmental Scientist  
NJ Site Investigation & Compliance Branch


Robert Hargrove, 2PM-EIB  
Federal Facilities Coordinator

Comments from ERRD staff on the March 26, 1986 Scope of Work for the Suffolk County Air National Guard Phase II/IV-A report are attached. Any questions should be addressed to the particular commenter in question.

Let me also request that a meeting be held prior to the May 9 visit to the base to discuss the issues of concern. This would seem especially appropriate since there has been legal action regarding this case. Please let me know when you have scheduled a meeting.

cc: G. DeGaetano, 2ERRD-SICB  
K. Sudy, 2ERRD-NYCRAB

## CONCURRENCES

SYMBOL	2ERRD/SICB; DeGaetano; X4595; GPD; 5/2/86					356579 
SURNAME	ERRD/SIC ERRD/SIB					
DATE	DeGaetano/Feldman 5/2/86					


OFFICIAL FILE COPY

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
REGION II

DATE: **MAY 2 1986**

SUBJECT: Suffolk County Air National Guard Base  
Comments on Draft Phase II/IV-A Report

FROM: Gerald DeGaetano, Environmental Engineer  
NY/Caribbean Site Investigation & Compliance Branch



TO: Joyce Feldman, Environmental Scientist  
NJ Site Investigation & Compliance Branch

I have reviewed the subject March 26, 1986 report and have the following comments:

1. Who are the property owners/tenants of the Suffolk County Air National Guard Base? Specifically, what is the role of the U.S. Air Force?
2. This report is a Scope of Work for site characterization/remedial action plan preparation (Phase II/IV-A) for the Fire Department Training Area only.
  - a. Was a Phase I Report (Records Search) ever prepared for the entire base? If so, EPA would like a copy to review. If not, why not?
  - b. Why is this study focusing only on one site or area (Fire Dept. Training Area) of the base? The remaining property should also be looked at.
3. Relative to Section 5.2.2, Background Review (page 7), EPA would like to receive for review the chemical usage data and all future data as they become available.
4. It is EPA policy that all monitoring wells be cased and screened with stainless steel and not PVC (as described in Section 5.2.7, Monitoring Well Installation, page 12). Similarly, all attendant materials used during sampling procedures should also be of stainless steel.

cc: K. Sudy, 2ERRD-NYCRAB

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

MAY 2 1986

Suffolk County Air National Guard Base  
Comments on Draft Phase II/IV-A Report

Gerald DeGaetano, Environmental Engineer  
NY/Caribbean Site Investigation & Compliance Branch

Joyce Feldman, Environmental Scientist  
NJ Site Investigation & Compliance Branch

I have reviewed the subject March 26, 1986 report and have the following comments:

1. Who are the property owners/tenants of the Suffolk County Air National Guard Base? Specifically, what is the role of the U.S. Air Force?
2. This report is a Scope of Work for site characterization/remedial action plan preparation (Phase II/IV-A) for the Fire Department Training Area only.
  - a. Was a Phase I Report (Records Search) ever prepared for the entire base? If so, EPA would like a copy to review. If not, why not?
  - b. Why is this study focusing only on one site or area (Fire Dept. Training Area) of the base? The remaining property should also be looked at.
3. Relative to Section 5.2.2, Background Review (page 7), EPA would like to receive for review the chemical usage data and all future data as they become available.
4. It is EPA policy that all monitoring wells be cased and screened with stainless steel and not PVC (as described in Section 5.2.7, Monitoring Well Installation, page 12). Similarly, all attendant materials used during sampling procedures should also be of stainless steel.

cc: K. Sudy, 2ERRD-NYCRAB

2ERRD/SICB:DeGaetano:X4595;605/5/2/86

SYMBOL	ERRD/SICB					
SURNAME	DeGaetano					
DATE	5/2/86					